

Animal studies

 Debomita Chakraborty

Updated date: Oct 13, 2020

 An abbreviated version of this protocol was published in Science Translational Medicine in Sep 2020

Fibroblast growth factor receptor 3 activates a network of profibrotic signaling pathways to promote fibrosis in systemic sclerosis

DOI: 10.1126/scitranslmed.aaz5506

Related files

 bioprotocol.docx



How to cite: (Readers should cite both the Bio-protocol preprint and the original research article where this protocol was used)

1. Chakraborty, D. (2020). Animal studies. Bio-protocol Preprint. bio-protocol.org/prep544.
2. Chakraborty, D., Zhu, H., Jüngel, A., Summa, L., Li, Y., Matei, A., Zhou, X., Huang, J., Trinh-Minh, T., Chen, C., Lafyatis, R., Dees, C., Bergmann, C., Soare, A., Luo, H., Ramming, A., Schett, G., Distler, O. and Distler, J. H. W. (2020). Fibroblast growth factor receptor 3 activates a network of profibrotic signaling pathways to promote fibrosis in systemic sclerosis . Science Translational Medicine 12(563). DOI: [10.1126/scitranslmed.aaz5506](https://doi.org/10.1126/scitranslmed.aaz5506)

Copyright: Content may be subjected to copyright.